

CABLINE®-UM PLUG LOCK COVER

Part No. 3493-0**1

Packing Standard

3	S20649	December 15, 2020	T.Masunaga	-	H.Ikari
2	S19115	February 21, 2019	T.Masunaga	-	Y.Shimada
1	S18473	August 3, 2018	Y.Sasa	T.Masunaga	H.Ikari
0	S18289	August 1, 2018	Y.Sasa	T.Masunaga	H.Ikari
Rev.	ECN	Date	Prepared by	Checked by	Approved by

1. Product Name(s) and Parts Number(s)

Product Name	Part Number
CABLINE-UM PLUG LOCK COVER	3493-0**1

2. Packing Material

Pos.	Reel		Packing Carton
	Diameter	Width	Outer Dimension
	950229		950000
30P	φ380	54.0	406×406×214
40P			OUTER
60P		69.0	

3. Packing Quantity

Pos.	REEL QTY.	Pieces per Reel	Quantity Per Packing Carton
30P	3 REELS	4000	4,000 × 3 = 12,000
40P			
60P	2 REELS		4,000 × 2 = 8,000

4. Label

P/N	①	CHECK	⑧ 捆包卷盘 WPP 层间纸 WPP
QTY	②	⑥	
LOT	③	REMARK	
 ⑤	NAME: ④ RoHS Compliant ⑨ MADE IN ***** ← ⑦		
⑩			

- ① Part Number
- ② Quantity
- ③ Ten Digits Product Lot Number

Y	Y	M	M	D	D	#	#	#	#
Year		Month		Day		Four Digit Code for I-PEX usage			

- ④ Product Name
- ⑤ QR Code
- ⑥ Check Stamp
- ⑦ Country of Origin
- ⑧ Recycle Mark and Compliance Mark
- ⑨ Logo Mark
- ⑩ Manufacture Name

5. Packing Method

5-1 PACKING OF RELL

- (1) Coiling of shell to reel follow as shown Fig.1.
- (2) Coiling QTY. is 4000 in reel.




Fig.1




Fig.2

5-2 Packing of P CARTON




Fig.3