

CABLINE®-VS RECEPTACLE ASSEMBLY

Part No. 20455-##*E-##

Packing Standard

15	S24511	December 18, 2024	T.Ono	M.Nakamura	T.Masunaga
14	S24215	May 31, 2024	T.Ono	M.Nakamura	T.Masunaga
13	S23431	December 4, 2023	T.Ono	-	T.Masunaga
12	S20611	November 16, 2020	T.Ono	T.Masunaga	H.Ikari
Rev.	ECN	Date	Prepared by	Checked by	Approved by

1. Product Name(s) and Part Number(s)

Product Name	Part Number
CABLINE-VS RECEPTACLE ASSEMBLY	20455-##*E-##

2. Packing Material and Part Number

Pos.	Emboss Tape		Reel	Packing Carton	
	Width	Thickness	Diameter	Outer Dimension	
20P	24.0	2.4	φ380	406 x 406 x 214	
30P	32.0				29.4
40P	44.0				37.4
50P					49.4

Pos.	Plastic Bag	Desiccant
	Outer Dimension	Quantity (1 Bag)
20P	700 x 600	3g x 1
30P		
40P		
50P		







3. Packing Quantity

Pos.	Quantity per Reel	Quantity per Packing Carton
20P	5,000	5,000 × 5 = 25,000 (5 Reels)
30P		
40P		5,000 × 3 = 15,000 (3 Reels)
50P		

4. Label

4-1 Put a label on the designated place of the each reels and P carton.

4-2 Items of label are shown as below.

P/N	①	CHECK	捆包卷盘 ⑧  PS 料带封带
QTY	②	⑥	
LOT	③		 PET 捆包料带
	NAME:	REMARK	
	④		 
MADE IN ***** ← ⑦	⑨		
⑩			

- ① Part Number
- ② Quantity
- ③ Ten Digits Product Lot Number

Y	Y	M	M	D	D	#	#	#	#
Year		Month		Day		Four Digit Code for I-PEX usage			

- ④ Product Name
- ⑤ QR Code
- ⑥ Check Stamp
- ⑦ Country of Origin
- ⑧ Recycle Mark and Compliance Mark
- ⑨ Logo Mark
- ⑩ Manufacture Name

5. Packing Method [See Fig.1.]




Fig.1