

# MINIDOCK™ Slim Type Right Angle Receptacle

Part No. 30047

## Packing Standard

03	S24129	May 30, 2024	Y. Kawano	Y. Baba	S. Suzuki
02	S12098	April 4, 2012	M. Yoshimura	K. Narita	E. Kawabe
01	S0046	August 4, 2000	A. Hino	T. Harada	K. Katabuchi
00	7341	November 6, 1997	A. Hino	T. Harada	K. Katabuchi
Rev.	ECN	Date	Prepared by	Checked by	Approved by

# MINIDOCK Slim Type Right Angle Receptacle Packing Standard

Document No.  
300-107-C03EN

## 1. Product Name(s) and Parts Number(s)

Product Name	Part Number
MINIDOCK Slim Type Right Angle Receptacle	30047-160T-**F
	30047-160T-F
Cross recessed head screws M1.6	90061-002

Note: Connectors with screw only

## 2. Packing Material

### 2.1 Connector

Outer Dimension	Tray 950152-160			Shipping Carton 950001-001	Packing Carton 950000-001
	Width	Pocket Depth	Number of Pockets	Outer Dimension W×D×H	Outer Dimension W×D×H
360 x 165	19.2	18.3	16	385×175×90	406×406×214

### 2.2 Screw

Plastic Bag

Outer Dimension

W×H

190 x 120 (reference)

## 3. Packing Quantity


### 3.1 Connector

Quantity per Tray	Quantity per Packing Carton
16	16 pockets × 3 trays per shipping carton × 4 shipping cartons = 192 pieces per packing carton

### 3.2 Screw

Number of Screws per Connector	Number of Screws per Packing Carton
5 screws	960 screws per bag

## 4. Label



- ① Part Number
- ② Quantity
- ③ Ten Digits Product Lot Number

Y	Y	M	M	D	D	#	#	#	#
Year		Month		Day		Four Digit Code for I-PEX usage			

- ④ Product Name
- ⑤ QR Code
- ⑥ Check Stamp
- ⑦ Country of Origin
- ⑧ Recycle Mark and Compliance Mark
- ⑨ Logo Mark
- ⑩ Manufacture Name

## 5. Packing Method

### 5.1 Packing of Tray




Fig. 1 Connector Orientation Inside the Pocket

### 5.2 Packing of Shipping Carton




Fig. 2 Packing of Shipping Carton

## 5.3 Packing of Packing Carton

